

FOR

Water, Potassium, Sodium, Chloride, and Sulfate

Panel on Dietary Reference Intakes for Electrolytes and Water

Standing Committee on the Scientific Evaluation of Dietary Reference Intakes

Food and Nutrition Board

INSTITUTE OF MEDICINE
OF THE NATIONAL ACADEMIES

THE NATIONAL ACADEMIES PRESS Washington, D.C. www.nap.edu

NOTICE: The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for the report were chosen for their special competences and with regard for appropriate balance.

This study was supported by a contract between the National Academy of Sciences and the U.S. Department of Health and Human Services' Office of Disease Prevention and Health Promotion, Contract No. 282-96-0033, T03; the National Heart, Lung, and Blood Institute of the National Institutes of Health; the U.S. Environmental Protection Agency; the U.S. Department of Agriculture; Health Canada; the Institute of Medicine; the Dietary Reference Intakes Private Foundation Fund—International Life Sciences Institute-North America and the Dannon Institute; and the Dietary Reference Intakes Corporate Donors' Fund. Contributors to the Fund have included Roche Vitamins, M&M/Mars, Mead Johnson Nutritionals, and the Nabisco Foods Group. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the views of the organizations or agencies that provided support for the project.

Library of Congress Cataloging-in-Publication Data

Institute of Medicine (U.S.). Panel on Dietary Reference Intakes for Electrolytes and Water. Dietary reference intakes for water, potassium, sodium, chloride, and sulfate / Panel on Dietary Reference Intakes for Electrolytes and Water, Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board.

p.; cm.

Includes bibliographical references and index.

ISBN 0-309-09158-6 (hardcover) — ISBN 0-309-09169-1 (pbk.) — ISBN 0-309-53049-0 (PDF) 1. Diet. 2. Nutrition.

[DNLM: 1. Nutritional Requirements—Canada. 2. Nutritional Requirements—United States. 3. Electrolytes—Canada. 4. Electrolytes—United States. 5. Reference Values—Canada. 6. Reference Values—United States. 7. Water—Canada. 8. Water—United States. 1. Title.

TX551.I59 2004 613.2—dc22

2004028191

Additional copies of this report are available from the National Academies Press, 500 Fifth Street, N.W., Lockbox 285, Washington, DC 20055; (800) 624-6242 or (202) 334-3313 (in the Washington metropolitan area); Internet, http://www.nap.edu.

For more information about the Institute of Medicine, visit the IOM home page at: www.iom.edu.

Copyright 2005 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America.

The serpent has been a symbol of long life, healing, and knowledge among almost all cultures and religions since the beginning of recorded history. The serpent adopted as a logotype by the Institute of Medicine is a relief carving from ancient Greece, now held by the Staatliche Museen in Berlin.

"Knowing is not enough; we must apply. Willing is not enough; we must do."

—Goethe



INSTITUTE OF MEDICINE

OF THE NATIONAL ACADEMIES

Adviser to the Nation to Improve Health

THE NATIONAL ACADEMIES

Advisers to the Nation on Science, Engineering, and Medicine

The National Academy of Sciences is a private, nonprofit, self-perpetuating society of distinguished scholars engaged in scientific and engineering research, dedicated to the furtherance of science and technology and to their use for the general welfare. Upon the authority of the charter granted to it by the Congress in 1863, the Academy has a mandate that requires it to advise the federal government on scientific and technical matters. Dr. Bruce M. Alberts is president of the National Academy of Sciences.

The National Academy of Engineering was established in 1964, under the charter of the National Academy of Sciences, as a parallel organization of outstanding engineers. It is autonomous in its administration and in the selection of its members, sharing with the National Academy of Sciences the responsibility for advising the federal government. The National Academy of Engineering also sponsors engineering programs aimed at meeting national needs, encourages education and research, and recognizes the superior achievements of engineers. Dr. Wm. A. Wulf is president of the National Academy of Engineering.

The **Institute of Medicine** was established in 1970 by the National Academy of Sciences to secure the services of eminent members of appropriate professions in the examination of policy matters pertaining to the health of the public. The Institute acts under the responsibility given to the National Academy of Sciences by its congressional charter to be an adviser to the federal government and, upon its own initiative, to identify issues of medical care, research, and education. Dr. Harvey V. Fineberg is president of the Institute of Medicine.

The National Research Council was organized by the National Academy of Sciences in 1916 to associate the broad community of science and technology with the Academy's purposes of furthering knowledge and advising the federal government. Functioning in accordance with general policies determined by the Academy, the Council has become the principal operating agency of both the National Academy of Sciences and the National Academy of Engineering in providing services to the government, the public, and the scientific and engineering communities. The Council is administered jointly by both Academies and the Institute of Medicine. Dr. Bruce M. Alberts and Dr. Wm. A. Wulf are chair and vice chair, respectively, of the National Research Council.

www.national-academies.org

PANEL ON DIETARY REFERENCE INTAKES FOR FLECTROLYTES AND WATER

- **LAWRENCE J. APPEL** (*Chair*), Departments of Medicine, Epidemiology, and International Health (Human Nutrition), Johns Hopkins University, Baltimore, Maryland
- **DAVID H. BAKER**, Department of Animal Sciences, and Division of Nutritional Sciences, University of Illinois, Urbana
- **ODED BAR-OR**, Department of Pediatrics, McMaster University, Hamilton, Ontario
- **KENNETH L. MINAKER**, Geriatric Medicine Unit, Massachusetts General Hospital, Division on Aging, Department of Medicine, Harvard Medical School, Boston, Massachusetts
- **R. CURTIS MORRIS, JR.**, Departments of Medicine, Pediatrics, and Radiology, University of California, San Francisco
- *LAWRENCE M. RESNICK, Division of Hypertension, New York Presbyterian Hospital, Cornell Medical Center, Cornell University Medical College, New York
- MICHAEL N. SAWKA, Thermal and Mountain Medicine Division, U.S. Army Research Institute of Environmental Medicine, Natick, Massachusetts
- **STELLA L. VOLPE**, School of Nursing, University of Pennsylvania, Philadelphia
- **MYRON H. WEINBERGER**, Indiana University School of Medicine, Indianapolis
- **PAUL K. WHELTON**, Tulane University Health Sciences Center, New Orleans, Louisiana

Consultant

MARSHALL LINDHEIMER, University of Chicago Hospitals and Clinics, Chicago, Illinois

Staff

PAULA R. TRUMBO, Study Director (through May 2003) ALLISON A. YATES, Study Director (starting June 2003) CARRIE L. HOLLOWAY, Research Assistant (through August 2002) CRYSTAL RASNAKE, Research Assistant (starting September 2002) SANDRA AMAMOO-KAKRA, Senior Project Assistant

^{*}Active member through May 2003.

STANDING COMMITTEE ON THE SCIENTIFIC EVALUATION OF DIETARY REFERENCE INTAKES

- JOHN W. ERDMAN, JR. (*Chair*), Department of Food Science and Human Nutrition, College of Agricultural, Consumer and Environmental Sciences, University of Illinois at Urbana-Champaign LINDSAY H. ALLEN, Department of Nutrition, University of California,
- **LINDSAY H. ALLEN**, Department of Nutrition, University of California, Davis
- **STEPHANIE A. ATKINSON**, Department of Pediatrics, Faculty of Health Sciences, McMaster University, Hamilton, Ontario, Canada
- **SUSAN I. BARR**, Department of Food, Nutrition, and Health, University of British Columbia, Vancouver, Canada
- **BENJAMIN CABALLERO**, Center for Human Nutrition, Johns Hopkins University Bloomberg School of Public Health, Baltimore, Maryland
- **SANFORD A. MILLER**, Center for Food and Nutrition Policy, Virginia Polytechnic Institute and State University, Alexandria
- WILLIAM M. RAND, Department of Family Medicine and Community Health, Tufts University School of Medicine, Boston, Massachusetts
- **JOSEPH V. RODRICKS**, ENVIRON International Corporation, Arlington, Virginia
- **ROBERT M. RUSSELL**, Jean Mayer U.S. Department of Agriculture Research Center on Aging, Tufts University, Boston, Massachusetts

Technical Advisor to the DRI Projects

VERNON YOUNG, School of Laboratory Sciences, Massachusetts Institute of Technology, Cambridge

U.S. Government Liaison

KATHRYN Y. McMURRY, Office of Disease Prevention and Health Promotion, U.S. Department of Health and Human Services, Washington, DC

Canadian Government Liaison

PETER W.F. FISCHER, Nutrition Research Division, Health Protection Branch, Health Canada, Ottawa, Ontario, Canada

Staff

ALLISON A. YATES, Study Director MARY POOS, Senior Program Officer (through November 2003) PAULA TRUMBO, Senior Program Officer (through May 2003) CRYSTAL RASNAKE, Research Assistant GAIL E. SPEARS, Staff Editor SANDRA AMAMOO-KAKRA, Senior Project Assistant

FOOD AND NUTRITION BOARD

- **CATHERINE E. WOTEKI** (*Chair*), Iowa Agriculture and Human Economics Experiment Station, Iowa State University, Ames
- **ROBERT M. RUSSELL** (*Vice Chair*), Jean Mayer U.S. Department of Agriculture Human Nutrition Research Center on Aging, Tufts University, Boston, Massachusetts
- **LARRY R. BÉUCHAT**, Center for Food Safety and Quality Enhancement, University of Georgia, Griffin
- **BENJAMIN CABALLERO**, Center for Human Nutrition, Johns Hopkins University Bloomberg School of Public Health, Baltimore, Maryland
- SUSAN A. FERENC, SAF*RISK LC, Madison, Wisconsin
- NANCY F. KREBS, School of Medicine, University of Colorado, Denver
- SHIRIKI K. KUMANYIKA, Center for Clinical Epidemiology and Biostatistics, University of Pennsylvania School of Medicine, Philadelphia
- **REYNALDO MARTORELL**, Rollins School of Public Health. Emory University, Atlanta
- **LYNN PARKER**, Child Nutrition Programs and Nutrition Policy, Food Research and Action Center, Washington, DC
- NICHOLAS J. SCHORK, Department of Psychiatry, University of California, San Diego
- JOHN W. SUTTIE, Department of Biochemistry, University of Wisconsin-Madison
- **STEVE L. TAYLOR**, Department of Food Science and Technology and Food Processing Center, University of Nebraska, Lincoln
- **BARRY L. ZOUMAS**, Department of Agricultural Economics and Rural Sociology, Pennsylvania State University, University Park

Staff

LINDA MEYERS, Director (Deputy Director through September 2003)
ALLISON A. YATES, Director through September 2003
GAIL E. SPEARS, Administrative Assistant
GERALDINE KENNEDO, Administrative Assistant
ELISABETH RIMAUD, Financial Associate

Preface

This report is one in a series that presents a comprehensive set of reference values for nutrient intakes for healthy U.S. and Canadian individuals and populations. It is a product of the Food and Nutrition Board (FNB) of the Institute of Medicine, working in cooperation with Canadian scientists.

The report establishes a set of reference values for dietary electrolytes and water to expand and replace previously published Recommended Dietary Allowances (RDAs) and Recommended Nutrient Intakes (RNIs) for the United States and Canada, respectively. Close attention was given to the evidence relating electrolyte intake to the risk of high blood pressure and hypertension, as well as other diseases, and the amounts of water from beverages and foods needed to maintain hydration. In addition, since requirements for sulfur can be met by inorganic sulfate in the diets of animals, a review of the role in inorganic sulfur in the form of sulfate is included.

The group responsible for developing this report, the Panel on Dietary Reference Intakes for Electrolytes and Water, under the oversight and assistance of the Standing Committee on the Scientific Evaluation of Dietary Reference Intakes (the DRI Committee), has analyzed the evidence on risks and beneficial effects of nutrients included in this review.

Although all reference values are based on data, available data were often sparse or drawn from studies with significant limitations in addressing various questions confronted by the panel. Thus, although governed by scientific rationales, informed judgments were often required in setting these reference values. The reasoning used X PREFACE

in evaluating each nutrient is described in Chapters 4 through 7. Chapter 3 outlines the risk assessment approach used to establish the reference values for upper intake levels as developed and further modified by the DRI Subcommittee on Upper Reference Levels. Chapter 8 addresses major conceptual issues related to the uses of the DRIs that were included in the early stages of the DRI process and have been developed further as described in reports from the Subcommittee on Interpretation and Uses of Dietary Reference Intakes.

While the quantity of research reports relating sodium and potassium intake to blood pressure is quite large, the quality of the research useful to the panel for setting requirements of sodium and potassium was limited. In particular, there was a dearth of large, dose-response studies with clinically relevant biological outcomes carried out in normal, apparently healthy individuals.

Given the ability of many humans to adapt to varying amounts of electrolyte intake and the impact of temperature and activity level on needs of electrolytes and water, it was not possible to determine Estimated Average Requirements (EAR) for these nutrients. Instead, Adequate Intakes (AIs) were set for sodium, potassium, and water. No AI was set for sulfate as there is sufficient sulfur in the human diet from foods (derived from sulfur amino acids) and water to meet the needs of healthy individuals. No specific Tolerable Upper Intake Levels (ULs) were set for water, potassium, or sulfate as healthy persons can adapt to higher intakes from foods and beverages. In contrast, a UL was set for sodium based upon the increased risk of cardiovascular outcomes, particularly cardiovascular disease and stroke.

Readers are urged to recognize that the DRI process is iterative in character. The FNB and the DRI Committee and its subcommittees and panels fully expect that the DRI conceptual framework will evolve and be improved as novel information becomes available and is applied to an expanding list of nutrients and other food components. Thus because the DRI activity is ongoing, comments have been solicited widely and received on the published reports of this series. Refinements that resulted from this iterative process were included in the general information regarding approaches used (Chapters 1 and 2 and in the discussion of uses of DRIs in Chapter 8). With more experience, the proposed models for establishing reference intakes of nutrients and other food components that play significant roles in promoting and sustaining health and optimal functioning will be refined. Also, as new information or new meth-

PREFACE xi

ods of analysis are adopted, these reference values undoubtedly will be reassessed.

Many of the questions that were raised about requirements and recommended intakes could not be answered satisfactorily for the reasons given above. Thus among the panel's major tasks was to outline a research agenda addressing information gaps uncovered in its review (Chapter 9). The research agenda is anticipated to help future policy decisions related to these and future recommendations. This agenda and the critical, comprehensive analyses of available information are intended to assist the private sector, foundations, universities, governmental and international agencies and laboratories, and other institutions in the development of their respective research priorities for the next decade.

This report has been reviewed in draft form by individuals chosen for their diverse perspectives and technical expertise in accordance with procedures approved by the National Research Council's Report Review Committee. The purpose of this independent review is to provide candid and critical comments that will assist the institution in making its published report as sound as possible and to ensure that the report meets institutional standards for objectivity, evidence, and responsiveness to the study charge. The review comments and draft manuscript remain confidential to protect the integrity of the deliberative process. We wish to thank the following individuals for their review of this report:

Michael Alderman, Albert Einstein College of Medicine; John R. Claybaugh, Tripler Army Medical Center; David Cole, University of Toronto; Gary Curhan, Harvard University; Johanna T. Dwyer, Tufts New England Medical Center; Shiriki K. Kumanyika, University of Pennsylvania; Gary W. Mack, Yale University; Melinda Manore, Oregon State University; Timothy Noakes, Sports Science Institute of South Africa; Suzanne Oparil, University of Alabama at Birmingham; Frank Sacks, Harvard University; Judith Stern, University of California at Davis.

Although the reviewers listed above have provided many constructive comments and suggestions, they were not asked to endorse the conclusions or recommendations nor did they see the final draft of the report before its release. The review of this report was overseen by John W. Suttie, University of Wisconsin, appointed by the Institute of Medicine, who was responsible for making certain that an independent examination of this report was carried out in accordance with institutional procedures and that all review comments were carefully considered. Responsibility for the final

xii PREFACE

content of this report rests entirely with the authoring panel and the institution.

The support of the Canadian government and Canadian scientists' participation in this initiative are gratefully acknowledged. This close collaboration represents a pioneering first step in the harmonization of nutrient reference intakes in North America. A description of the overall DRI project and of the panel's task is given in Appendix B.

The DRI Committee and the Panel on DRIs for Electrolytes and Water extend sincere appreciation to the many experts who assisted with this report by giving presentations to the panel, providing written materials, participating in the groups' open discussions, analyzing data, reviewing the report, and other means. Many, but far from all, of these individuals are named in Appendix L. Special gratitude is extended to the staff at ENVIRON International Corporation for providing national survey data.

The Panel on DRIs for Electrolytes and Water performed their work under great time pressure. Their dedication made the report's completion possible. All gave their time and hard work willingly and without financial reward; the public and the science and practice of nutrition are among the major beneficiaries of their dedication. Special thanks go to DRI Committee members Robert Russell, Joseph Rodricks, and Susan Barr for assisting the Panel in its review. In addition, the DRI Committee thanks the staff responsible for its development—in particular Paula Trumbo who served as a program officer for the study through June 2003, Allison A. Yates, who stepped in as Paula's replacement, and Crystal Rasnake, research assistant on the project in the later phases of its completion and key to organizing the many references and tables. The intellectual and managerial contributions made by these individuals to the report's comprehensiveness and scientific base were critical to fulfilling the project's mandate. Sincere thanks also go to other FNB staff, including Carrie Holloway, Mary Poos, Gail Spears, and Sandra Amamoo-Kakra, who also contributed their efforts over the years to complete this document.

And last, but certainly not least, the DRI Committee wishes to extend special thanks to panel chair Larry Appel, who oversaw the entire report development process, to Vernon Young, past chair of the DRI Committee, and to Cutberto Garza, former Chair of the Food and Nutrition Board, under whom this study was initiated.

John Erdman *Chair*, DRI Committee

PREFACE XIII

Postscript:

Following release of the report in pre-publication copy form, the Panel and DRI Committee were saddened to learn of two untimely events: the deaths of both Lawrence M. Resnick, M.D., a member of the Panel who was steadfast in his views while congenial in his search for approaches that were scientifically supportable; and Vernon R. Young, Ph.D., who, as the first chair of the DRI Committee, led the pursuit of integrating good science into nutrient-based reference values while challenging all those involved to think past old axioms as the term "nutrient" was redefined; he was a true scholar.

Contents

SUMMARY

1	INTRODUCTION TO DIETARY REFERENCE INTAKES What Are Dietary Reference Intakes?, 21 Categories of Dietary Reference Intakes, 22 Parameters for Dietary Reference Intakes, 29 Summary, 35 References, 35	21
2	OVERVIEW AND METHODS Summary, 37 Background, 37 Methodological Considerations, 38 Estimates of Nutrient Intake, 46 Dietary Intakes in the United States and Canada, 47 References, 48	37
3	A MODEL FOR THE DEVELOPMENT OF TOLERABLE UPPER INTAKE LEVELS Background, 50 A Model for the Derivation of Tolerable Upper Intake Levels, 52 Risk Assessment and Food Safety, 52 Application of the Risk Assessment Model to Nutrients, 57	50

1

xvi CONTENTS

Steps in the Development of the Tolerable Upper Intake Level, 61 Intake Assessment, 70 Risk Characterization, 70 References, 72	
WATER Summary, 73 Background Information, 74 Body Water, 75 Methods for Estimating Water Requirements, 86 Methods for Estimating Hydration Status, 90 Factors Affecting Water Requirements, 127 Findings by Life Stage and Gender Group, 140 Intake of Water, 157 Adverse Effects of Overconsumption, 161 Research Recommendations, 165 References, 166	73
POTASSIUM Summary, 186 Background Information, 188 Indicators Considered for Estimating the Requirement for Potassium, 190 Factors Affecting Potassium Requirements, 225 Findings by Life Stage and Gender Group, 231 Intake of Potassium, 242 Adverse Effects of Overconsumption, 247 Research Recommendations, 254 References, 255	186
SODIUM AND CHLORIDE Summary, 269 Background Information, 272 Indicators Considered for Estimating the Requirements for Sodium and Chloride, 275 Factors Affecting Sodium and Chloride Requirements, 293 Findings by Life Stage and Gender Group, 301 Intake of Sodium, 318 Adverse Effects of Overconsumption, 323 Research Recommendations, 395 References, 397	269

CONTENTS	xvii

7	SULFATE Summary, 424 Background Information, 425 Indicators Considered for Estimating the Requirement for Sulfate, 429 Factors Affecting Sulfate Requirements, 429 Findings by Life Stage and Gender Group, 430 Intake of Sulfate, 430 Adverse Effects of Overconsumption, 433 Research Recommendations, 443 References, 443	424
8	APPLICATIONS OF DIETARY REFERENCE INTAKES FOR ELECTROLYTES AND WATER Overview, 449 Assessing Nutrient Intakes of Individuals, 450 Assessing Nutrient Intakes of Groups, 453 Planning Nutrient Intakes of Individuals, 455 Planning Nutrient Intakes of Groups, 456 Nutrient-Specific Considerations, 456 Summary, 461 References, 462	449
9	A RESEARCH AGENDA Approach, 465 Major Knowledge Gaps, 466 The Research Agenda, 468	465
۸D	PENDIXES	
A	Glossary and Acronyms	471
B	Origin and Framework of the Development of Dietary	1/1
_	Reference Intakes	477
\mathbf{C}	Predictions of Daily Water and Sodium Requirements	485
D	U.S. Dietary Intake Data from the Third National	100
_	Health and Nutrition Examination Survey, 1988–1994	494
E	U.S. Dietary Intake Data for Water and Weaning	101
~	Foods from the Continuing Survey of Food Intakes	
	by Individuals, 1994–1996, 1998	518
F	Canadian Dietary Intake Data for Adults from	010
_	Ten Provinces, 1990–1997	527
G	U.S. Water Intake and Serum Osmolality Data from	~
_	the Third National Health and Nutrition Examination	
	Survey, 1988–1994	534
		001

xviii CONTENTS

Η	U.S. Total Water Intake Data by Frequency of Leisure Time			
	Activity from the Third National Health and Nutrition			
	Examination Survey, 1988–1994	537		
I	Dose-Response Effects of Sodium Intake on			
	Blood Pressure	546		
J	U.S. Serum Electrolyte Concentration Data from the			
•	Third National Health and Nutrition Examination			
	Survey, 1988–1994	558		
K	Options for Dealing with Uncertainties	564		
L	Acknowledgments	569		
M	Biographical Sketches of Panel Members	572		
IN	DEX	577		
SU	MMARY TABLES, DIETARY REFERENCE INTAKES			
Re	commended Intakes for Individuals, Vitamins	606		
Re	commended Intakes for Individuals, Elements	608		
Re	commended Intakes for Individuals, Total Water and			
	Macronutrients	610		
Ac	ceptable Macronutrient Distribution Ranges	611		
Ad	ditional Macronutrient Recommendations	611		
To	lerable Upper Intake Levels (UL), Vitamins	612		
To	lerable Upper Intake Levels (UL), Elements	614		
Est	timated Average Requirements for Groups	616		



Water, Potassium, Sodium, Chloride, and Sulfate